∩Z⊎LL©°

ALLYPRO



0

USER MANUAL

WHAT IN THE BOX?




1

ALLY PRO



12V/2A POWER ADAPTER

2 INSTALLATION INSTRUCTIONS



2 PRODUCT SPECIFIC ATIONS

MEMORY	
RAMINSTALLED	Preinstalled 8GB; DDR5-SLOT (xl)
STORAGE	
STORAGE	128GB eMMC
OS/OTHER	
OPERATING SYSTEM	Windows 10/11 Pro, Windows IoT, Linux Ubuntu
WI-FI	AC9560 WiFi 5 (M2-1216) ONBOARD, external antenn
GPU MODEL & MANUFACTURE	Intel® UHD Graphics
PROCESSOR	
PROCESSOR, MODEL & MANUFACTURE	Intel® Twin Lake (N150)
PROCESSOR CORE COUNT	4
PROCESSOR CACHE	6 MB Intel® Smart Cache
NETWORK	
	()
ETHERNET	1 Gbps (x2)
BLUETOOTH	Intel AC9560, supports Bluetooth 5.1
	1.1.1
BIUETOOTH WIRELESS LAN (TYPE)	Intel AC9560, supports Bluetooth 5.1
BLUETOOTH WIRELESS LAN (TYPE) INTERFACES/PORTS	Intel AC9560, supports Bluetooth 5.1 WiFi 5
BIUETOOTH WIRELESS LAN (TYPE)	Intel AC9580, supports Bluetooth 5.1 WIFI 5 HDMI 21(x2)
BLUETOOTH WIRELESS LAN (TYPE) INTERFACES/PORTS HOMI® (NUMBER)	Intel AC9560, supports Bluetooth 5.1 WiFi 5
BLUETOOTH WIRELESS LAN (TYPE) INTERFACES/PORTS HDMI® (NUMBER) HDMI® OUTPUT	Intel AC9560, supports Bluetooth 5.1 WiFi 5 HDMI 21 (x2) 4k@B00fps USB3-GRX2 106bps (x2)
ELUETOOTH WIRELESS LAN (TYPE) INTERFACES/PORTS HDMI® (NUMBER) HDMI® OUTPUT USB PORTS	Intel AC9580, supports Bluetooth 5.1 WIFI 5 HDM 2.1 (x2) 4k@60fps US823-GFW2, 106bps (x2) US82.0 (x2)
BLUETOOTH WIRELESS LAN (TYPE) INTERFACES/PORTS HOM® (NUMBER) HOM® OUTPUT USB PORTS TYPE-C PORT	Intel AC9580, supports Bluetooth 5.1 WIFI 5 HDMI 21 (x2) 4kg/0607ps USB23 (x2) USB23 (x2) USB22 (x2) USB22 (x2)
BUUETOOTH BUUETOOTH INTERFACES/PORTS HDMI® (NUMBER) HDMI® OUTPUT USB PORTS TYPE-C PORT MICRO SD CARD SLOT	Intel AC9580, supports Bluetooth 5.1 WIFI 5 HDMI 21 (x2) 4k@800fps US83-6Ex2, 100bps (x2) US82.0 (x2) US82.0 (x2) (x)
INTERFACES/PORTS INTERFACES/PORTS HDM® (NUMBER) HDM® (NUMPUT USB PORTS TYPE-C PORT MICRO SD CARD SLOT AUDIO OUTPUT	Intel AC9580, supports Bluetooth 5.1 WiFi 5 HDMI 21 (x2) 4k@B0fps US82-0(x2) US820 (x2) US820 (x3) (x1) 3.5 mm audio jack with UR/MIC combo (x1)
BLUETOOTH WIRELESS LAN (TYPE) INTERFACES/PORTS HDMI® (HUMBER) HDMI® OUTPUT USB PORTS TYPE-C PORT MICRO SD CARD SLOT AUDIO OUTPUT POWER CONNECTOR	Intel AC9580, supports Bluetooth 5.1 WIFI 5 HDMI 21(x2) 4k@B00tps USB2.0 (x2) USB2.0 (x3) Locking Power Jack
INTERFACES/PORTS INTERFACES/PORTS HDMI® (NUMBER) HDMI® (NUMBER) HDMI® OUTPUT USB PORTS TYPE-C PORT MICRO SD CARD SLOT AUDIO OUTPUT POWER CONNECTOR POWER SUPPLY	Intel AC9580, supports Bluetooth 5.1 WIFI 5 HDMI 21 (x2) 4k@80fps US821 (x2) US820 (x2)



4 APPLICATIONS OF THE ALLY PRO

The Ally Pro is designed to deliver exceptional performance across various applications. Here's a brief overview of the solutions it can support:

- Software Integration
- Digital Signage
- Edge Computing
- Remote Work
- Retail Solutions



5 STAY IN TOUCH



Chat live with a real person! azulle.com



US-based technical support 786-233-6769 (Ext 1)



US-based customer service 786-233-6769 (Ext 3)



Email us! support@azulle.com

